1-800-852-7550

CENTER 1-800-424-8802;

NSE

à.

NATIONAL

CALL

SPILL

8

EMERGENCY

Z

9

#### See Instructions on Back of Page 6 and Front of Page 7

Department of Health Services Toxic Substances Control Division Sacramento, California

Please print or type. Form designed for use on elite (12-pitch typewriter). 1. Generator's US EPA ID No. Manifest 2. Page 1 UNIFORM HAZARDOUS Information in the shaded areas WASTE MANIFEST CADO66361000059 is not required by Federal law. 12101917 A. State Manifest Document Number 903 Generator's Name, and Mailing Address
Douglas Aircraft Company Attn: R. Tuell M/S C6-59 19503 S. Normandie Avenue. Torrance. CA 90502 B. State Generator's ID 4. Generator's Phone 910 ) 633-7926 or (310) 533-7231 H | A | H | O | 3 | 6 | O | O | 5 | 6 | 9 | 8 | C. State Transporter's ID 5. Transporter 1 Company Name US EPA ID Number D. Trensporter's Phone (818) 961-9326 0 7 2 9 5 3 7 7 <u>United Pumping Service</u> 7. Transporter 2 Company Name US EPA ID Number E. State Transporter's ID F Transporter's Phone 9. Designated Facility Name and Site Address US EPA ID Number G. State-Facility's ID Chem-Tech Systems, Inc. 3650 E. 26th Street H. Facility's Phon Vernon, CA 90023 C A T | 0 | 8 | 0 | 0 | 3 | 3 | 6 | 8 | 1 268-505 12. Containers 11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number) Quantity Unit Waste No. Type Nt/Vo Waste, Corrosive Liquid, N.O.S. (Hydrofluoric acid) Corrosive Material. UN1760 Waste, Corrosive Liquid, N.O.S. (Hydrofluoric acid) 5f2,791 Corrosive Material, UN1760 007 B F 10101015 RQ. Waste, Oxidizer, Liquid, N.O.S. (Ammonium Nithate) Oxidizer, UN1479 (DOO1) Non-RCRA Hazardous Waste Liquid (Window polishing abrasive.) DIM COLVID K. Handling Codes for Wastes Listed Above ional Descriptions for Materials Listed Above ID # 101214-06. Empty 1G hydrofluoric acid bottles. ID # 101214-05. Empty Hydrofluoric acid drums. ID # 220403-01. Ammonium Nitrate solution. d)ID # 110212-05. Window polishing abrasive. 15. Special Handling Instructions and Additional Information.
In case of accident contact Chemtrec at 800-424-9300. Volumes are approximate. DOT Emergency Response Guide #-s a)60 b)60 c)35 d)N/A EH Permit # 4-9105240 16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford. Printed/Typed Name Dav Year Signature 17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name Signature Month WENCES LAD 18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name Month Day 19. Discrepancy Indication Space A 20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19. Printed/Typed Name Day Year DHS 8022 A Do Not Write Below This Line EPA 8700-(Rev. 6-89) Previous editions are obsolete.

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

3. (		ntinuation Sheet) CADOSCITOR Grator's Name				e Manifest Doci	ument N	umber		
	Dou	glas Aircraft Company			M. Sta	te Generator's I				
Jn	ite	sporter 1 Company Name ed Pumping Service, INC · sporter Company Name	CAD072953771	25. US.EPA ID Number  CAD072953771  27. US EPA ID Number			N. State Transporter's ID 20859 O. Transporter's Phone (818) 96 P. State Transporter's ID			
	IS D	OT Description (Including Proper Shipping Name	Hazard Class and ID Number	29. Cont		nsporter's Phon 30. Total	31. Unit	R. Waste N		
	HM	Non-RCRA Hazardous Waste Lie (Aluminum cleaner)		No.	Type DF	Quantity	Wt/Vol	135 N/R		
		RQ, Hazardous Waste Liquid, ORM-E, NA9189 (D007)	N.O.S. (Chromium)	8	DM	400	G	723 0007		
								Ţ		
1										
1										
1										
	ID	# 101021. Aluminum Cleaner. # 90414-02. Paint Booth Water		<u> </u>	T. Har	ndling Codes for	Wastes	Listed Above		
						¥/				
íc.	ipeci Tun	ial Handling Instructions and Additional Informaties are approximate. DUI Emer	gency Response Guide	e#'sa	)N/A	ь)31				
*C	4.									
<i>\</i>	Print	sporter Acknowledgement of Receipt of Med/Typed Name  JCESLAO AYALA-B.	Signature	edo,	Asp	16-3.	( 1L)	Date Month Day OY 77		
	-	sporter Acknowledgement of Receipt of Ned/Typed Name	Signature		_/_			Date Month Day		

## CERTIFICATE OF TREATMENT/RECYCLING

ISSUED TO

DOUGLAS AIRCRAFT COMPANY

90387365 MANIFEST NUMBER

DATE RECEIVED \_ APRIL 22. 1992

The aqueous waste received on the above manifest will be treated to standards mandated by the FEDERAL CLEAN WATER ACT and to effluent requirements established by the Sanitation Districts of Los Angeles County. Waste treatment and recycling is performed under permits granted to CHEM-TECH SYSTEMS, INC., a California corporation, by the California Department of Health Services, in coordination with the Environmental Protection Agency, in accordance with the provisions of the Resource Conservation and Recovery Act (RCRA) of 1976, together with applicable federal and state regulations including but not limited to waste discharge requirements established by the Sanitation Districts of Los Angeles County.

When the above described material is accepted by CHEM TECH SYSTEMS, INC. and treated/recycled and the aqueous phase discharged for further treatment by the Sanitation Districts, the certificate holder's responsibility for the material is eliminated under both RCRA and Proposition 65. Upon request, CHEM-TECH SYSTEMS, INC. will issue this certificate that all material bas been bandled in accordance with applicable permits, and the certificate bolder's liability has been terminated.

> CHEM-TECH SYSTEMS, INC. a commitment to a clean environment

APRIL 22, 1992

PLANT MANAGER

3650 EAST 26th STREET • VERNON, CALIFORNIA 90023 (213) 268-5056 • FAX: (213) 268-9672

## See Instructions on Back of Page 6

Department of Health Services

Toxic Substances Control Division Sacramento, California and Front of Page 7 Please print or type. Form designed for use on elite (12-pitch typewriter). 1. Generator's US EPA ID No. Manifest 2. Page 1 UNIFORM HAZARDOUS Information in the shaded areas Document No. is not required by Federal law. of 🤌 WASTE MANIFEST A. State Manifest Document Numb 3. Generator's Name and Mailing Address
Douglas Aircraft Company Attn: R. Tuell M/S C6-59 19503 S. Normandie Avenue, Torrance, CA 90502 B. State Generator's ID 4. Generator's Phone 310 ) 533-7926 or (310) 533-7231 H A H D B 6 O O 15 16 19 18 C. State Transporter's ID 208598 5. Transporter 1 Company Name CENTER 1-800-424-8802; WITHIN CALIFORNIA CALL 1-800-852-7550 US EPA ID Number D. Transporter's Phone (818) 961-9326 <u>United Pumping Service</u> 7. Transporter 2 Company Name US EPA ID Number E. State Transporter's ID F. Transporter's Phone 9. Designated Facility Name and Site Address Chem-Tech Systems, Inc. US EPA ID Number G. State Facility's ID 3650 E. 26th Street H. Facility's Phone Vernon, CA 90023 A T O B O O B B B B 268-5056 12 Containers 13 Total 11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number) Quantity Waste No. Type Wt /Vo State Waste, Corrosive Liquid, N.O.S. (Hydrofluoric acid 513.791 EPA/Other Corrosive Material, UN1760 GENERATOR 6 D002 Waste, Corrosive Liquid, N.O.S. (Hydrofluoric acid 512.791 Corrosive Material, UN1760 ERA/Qiber OPTOFOOOS tere. RQ, Waste, Oxidizer, Liquid, N.O.S. (Ammonium Nitrate) Oxidizer, UN1479 (D001) Signer Non-RCRA Hazardous Waste Liquid (Window polishing abrasive.) Additional Descriptions for Materials Listed Above a) ID # 101214-06. Empty IG hydrofluoric acid bottles. b) ID # 101214-05. Empty Hydrofluoric acid drums. ă c)ID # 220403-01. Ammonium Nitrate solution. d d)ID # 110212-05. Window polishing abrasive. NATIONAL 15. Special Handling Instructions and Additional Information at 800-424-9300. Volumes are approximate. DOT Emergency Response Guide #-s a)60 b)60 c)35 d)N/A CALL THE EN Permit # 4-9105240 GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name SPILL, and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined G to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste EMERGENCY generation and select the best waste management method that is available to me and that I can afford. Printed/Typed Name Signature Dav Year 17. Transporter 1 Acknowledgement of Receipt of Materials Ā Printed/Typed Name Month Day WENCESLAD P DH 2 ZH Z 18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name Signature Month Day 19. Discrepancy Indication Space Ĉ 20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19. Printed/Typed Name Month Day

DHS 8022 A EPA 8700-22

(Rev. 6-89) Previous editions are obsolete.

Do Not Write Below This Line

23. (	Generator's Name  Douglas Aircraft Company	Aircraft Company  90387365  M. State Generator's ID HAHQ36005698						
Un	. Transporter 1 Company Name  Inited Pumping Service, INC CA  . Transporter Company Name	25. US EPA ID Number <b>D072953771</b> 27. US EPA ID Number	O. Tra	ite Transporter's insporter's Phon te Transporter's	e (81	208598 818) 961-932		
		29. Co	Q. Tra	nsporter's Phon 30.		F.		
$\dashv$	US DOT Description (Including Proper Shipping Name, Hazard Cla	ss, and ID Number) No.	Туре	30. Total Quantity	31. Unit Wt/Vol	Waste No.		
1.	Non-RCRA Hazardous Waste Liquid (Aluminum cleaner)	4	DF	200	G	135 N/R		
5.	RQ, Hazardous Waste Liquid, N.O.S. ORM-E, NA9189 (D007)	(Chromium) 8	DM	400	G	723 D007		
;								
1.		y Parket						
<b>)</b> ()						1		
<b>)</b> .								
3. A a) b)	Additional Descriptions for Materials Listed Above a) ID # 101021. Aluminum Cleaner. b) ID # 90414-02. Paint Booth Water.		T. Ha	ndling Codes for	Waste:	s Listed Above		
Vc	Special Handling Instructions and Additional Information To Tumes are approximate. DOT Emergency Re	esponse Guide #'s	a)N/A	<b>ь)</b> 31				
V	Printed/Typed Name  WENCES LAO AYALA - B.	Signature / Signature	'Ay	ula-3 ·		Date  Month Day 1		
	. Transporter Acknowledgement of Receipt of Materials Printed/Typed Name	Signature	/_		- 43	Date Month Day \		
25	5. Discrepancy Indication Space							



ADDITIONAL INFORMATION:

# UNITED UNITED PUMPING SERVICE, INC. FIELD WORK ORDER 26975

14016 EAST VALLEY BOULEVARD CITY OF INDUSTRY, CALIFORNIA 91746 PHONE: (818) 961-9326

FAX (818) 336-7734

(PAGE / OF /

	r A	A (616) 930								Char	<u> </u>	[ <del></del>
CUSTOMER/ADDRESS D0 U6 CAS	AIRCRA	IFT.	CA				<b>\</b>	ATE WORK I	ERFORME	22	-92	$\overline{}$
19503 Si				2000年1月				ATE OF THE	KEPORT:	27	-97	
							1 h	VIE CALL REG	ENED:			
TORRANC	CYCA	CONTACT	<u>00</u>	<u> </u>	<i>T</i> ~ ~	***	<del>,</del>	CHIRACT	Ю.:			
(310) 633 LOCATION:						UEU	4 F	OSS REPORT	NO./P.O.	NO.:		
SAMEI	4A Z - L	JAST (	= <u> </u>	<u>ar</u>	<u>D</u>		ノし					
SCOPE OF WORK	\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	/ 0 4	$\downarrow$	^_	DP.	1)110		<u> </u>	.,,		<u></u>	
PICKED TO DISP	$0 > \Delta I$	EAC	<u>0</u>	100		<i>U/</i>	<u> </u>	<u>'VD</u>	11/	IVC	<u> </u>	
CIO DISP												
EQUIPMEI TYPE	NT:	EQUIPMENT NO.		OPER NA		START TIME	ARRIVE TIME	TIME OUT	STOP TIME	S.T. TIME	O.T. TIME	TOTAL HOURS
1/ VAN -TI	RK.	多五	W	AXA	LA-B	06'2	08:00	09:30				
								0.1				
)												
								<u> </u>				
PERSONN	EL:			me		START	ARRIVE	TIME	STOP	8.7.	O.T.	TOTAL
NAME						TIME	TIME	OUT	TIME	TIME	TIME	HOURS
				12 g								. 32
DISPOSAL: MANIFEST NO.	DISPOSAL SI	πE	QTY	UNIT		COMSU	MABLE: PE	QI	У	TYP	£	ary
90387364	BUEMETCO	,	5	DM								
90387365	BUEMETCO CHEM-TE	ECH .	84	DM								

This face i	Systems Waste I.D. N		Manifest Number	
	the land disposal of			with 40 CFR Part 268, which
I. Identi	fication of the N	Waste Stream		
A. The w	aste stream is	wastewater	non-wa	stewater
40 CF		lfy the correspo		is shipment (as defined in (as defined in 40 CFR
3	USEPA Hazardous Waste Number	Subcategory	USEPA Hazardous Waste Number	Subcategory
	1002	Acid Liquid		
	0001	Acid Liguid Oxidizer		
	10007			
(In accord	ement Requirement lance with the waste analysi 268.7, please indica ions.	s) and recordkee	ping requirements as	
(In accord 40 CFR regulat	lance with the waste analysi 268.7, please indica	s) and recordkee te how this was	ping requirements as te is to be managed	
(In accord 40 CFR regulat A. I a tre	lance with the waste analysi 268.7, please indications.  Restricted Waste make the generator of the state of	s) and recordkee the how this was Subject to T the restricted w defined in 40 CF RCRA Section 3	ping requirements as te is to be managed reatment aste which must be to R Part 268 Subpart I	to comply with the created to the applicable and all prohibitions set and disposal. This
(In accord 40 CFR regulat A. I a tre for reg	Restricted Waste and the maste analysis and the generator of the atment standard as of the in 40 CFR 268.30, wirement applies to	s) and recordkee the how this was Subject to T the restricted w defined in 40 CF RCRA Section 3 USEPA hazardous	ping requirements as te is to be managed Preatment aste which must be to R Part 268 Subpart I 004 (d), prior to la waste number(s):	to comply with the created to the applicable and all prohibitions set and disposal. This
(In accord 40 CFR regulat A. I a tre for reg	Restricted Waste malysi and the generator of the atment standard as on the following Carry of the following Carry	s) and recordkee the how this was Subject to The restricted when t	ping requirements as te is to be managed  Preatment aste which must be to R Part 268 Subpart I 004 (d), prior to lawaste number(s):	to comply with the created to the applicable and all prohibitions set and disposal. This CCO2 (COO), OCO7
(In accord 40 CFR regulat A. I a tre for required and	Restricted Waste malysi and the generator of the atment standard as on the following Carry of the following Carry	s) and recordkee the how this was subject to The restricted was defined in 40 CF. RCRA Section 3 USEPA hazardous thickness.	ping requirements as te is to be managed  Preatment  aste which must be to the part 268 Subpart I constituents  PCBs. A copy of the	to comply with the created to the applicable and all prohibitions set and disposal. This COS, MOOI, MOO7
(In accord 40 CFR regulat A. I a tre for required and	Restricted Waste malysications.  Restricted Waste mathematic standard as continuous at the standard as continuous at the standard as continuous applies to continuous	s) and recordkee the how this was subject to The restricted was defined in 40 CF. RCRA Section 3 USEPA hazardous thickness.	ping requirements as te is to be managed  Preatment  aste which must be to the part 268 Subpart I constituents  PCBs. A copy of the	to comply with the created to the applicable and all prohibitions set and disposal. This COS, MOOI, MOO7

. The USEPA hazardous waste number(s)
Has/have been treated in compliance with applicable performance standards as defined 40 CFR Part 268 Subpart D. I have attached all supporting analytical data. I certify under penalty of law that I have personally examined and am familiar with the treatment technology and the operation of the treatment process used to support this certificate and that, based on my inquiry of those individuals immediately responsible for obtains this information, I believe that the treatment process has been operated and maintained properly so as to comply with the performance levels specified in 40 CFR Part 268 Subpart D and all applicable prohibitions set forth in 40 CFR 268.32 or RCRA Section 3004(d) without impermissible dilution of the prohibited waste. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine or imprisonment.
C. Restricted Waste with Technology Based Treatment Standards
I certify under penalty of law that the waste has been treated in accordance with the requirements of 40 CFR 268.42. I am aware that there are significant penalties for submitting a false certification including the possibility of fine and imprisonment. Treatment has been performed for USEPA hazardous waste number(s)
D. Restricted Waste Subject to a Variance or Extension
a national capacity variance, or a treatability variance. This variance applies to USE hazardous waste number(s) and expires on  E. Restricted Waste can be Land Disposed Without Further Treatment
I am the initial generator of the following USEPA hazardous waste number(s)
I have determined that the waste meets all applicable treatment standards as defined in 40 CFR Part 268 Subpart D, and all applicable prohibition levels set forth in 40 CFR 268.32, RCRA Section 3004(d), and CCR Title 22, Chapter 30, Article 41, and therefore can be land disposed without further treatment. A copy of all applicable treatment standards and specified treatment methods is maintained at Chem-Tech Systems, Inc. I certify under penalty of law that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this certification that the waste complies with the treatment standards specified in 40 CFR 268 Subpart D and all applicable prohibitions set forth in 40 CFR 268.32 or RCRA Section 3004(d). I believe that the information I submitted is true, accurate and complete. I am aware that there are significant penalties for submitting a false certification, including the possibility of a fine and imprisonment.
I HEREBY CERTIFY THAT ALL INFORMATION SUBMITTED IN THIS AND ALL ASSOCIATED DOCUMENTS IS COMPLETE AND ACCURATE, TO THE BEST OF MY KNOWLEDGE AND INFORMATION.
Indized Potent B. Juelly, Title: Sr. Plant Engine Sate: 04/22/92
Name of Company Generating the waste: Douglas Aircraft Company
TS\LDR(2)\7-90

B. Restricted Waste Treated to Performance Standards



INVOICE DATE: 04/30/92 JOB DATE: 04/23/92

INVOICE NUMBER: 0008111-IN

08111

U001000

INVOICE TO:
UNITED PUMPING
14016 E. VALLEY BLVD
CITY OF INDUSTRY CA 91746

RE: RQ, WASTE OXIDIZER LQ, NON RCRA HAZ WASTE LQ, RQ, HAZ WASTE LQ

GENERATOR:
DOUGLAS AIRCRAFT COMPANY
19503 S NORMANDIE AVENUE
TORRANCE CA 90502

CUSTOMER P.O.	MANIFEST # 90387365	WAST ID # SEE BELOW	TERMS DUE UF	ON RECEIPT	
		QTY	UNIT	PRICE	AMOUNT
LAB # 92-234A	TRANSPORTER: U	NITED PUMPING			
WASTE I.D.# 10: 7 DRUMS	1214-06				
DRUM DISPOS	SAL (\$40 PER DRUM	)			280.00
WASTE I.D.# 101 7 DRUMS	1214-05				
그 이 없이 하는데 보면 사용되면 그는 영화를 다른 사용되었다. 이 등이 작용하는	SAL (\$40 PER DRUM				280.00
WASTE I.D.# 220					
ID - TREAT		6.00	DRUM	140.00	840.00
DRUM DISPOS PROFILE FEI	SAL (\$30 PER DRUM E				180.00 150.00
WASTE I.D. # 1					100 mg (100 mg)
OD - TREATM		2.00	DRUM	125.00	250.00
DRUM DISPO	SAL (\$30 PER DRUM				60.00
WASTE I.D. # 10 OD - TREATM		4.00	DRUM	150.00	600.00
<ul> <li>Control of the control of the control</li></ul>	MENI-DRUM SAL (\$30 PER DRUM	The second secon	DRUM	190.00	120.00
100					
WASTE I.D. # 90 OD - TREATN		8.00	DRUM	175.00	1,400.00
	BAL (\$30 PER DRUM		Divr	1,7,00	240.00
			i de la companya de		
			 INVOI	CE TOTAL:	4,400.00

### See Instructions on Back of Page 6 and Front of Page 7

Department of Health Services
Toxic Substances Control Division
Sacramento, California

Г	1	UNIFORM	A HAZARDOL	JS 1. Generat	tor's US EP	A ID No.	l_por	Manifest	2. 1	Page 1	Informa	tion in th	Sacramento, Co	
0	WASTE MANIFEST C A D 0 8 6 5 1 0 0 0 5 7 2 is r  3. Generator's Name and Mailing Address Douglas Aircraft Company Attn: R. Tuell M/S C6-59  A State Manifest Do							is not r	equired l	by Federal law.				
		Douglas Aircraft Company Attn: R. Tuell M/S C6-59 19503 S. Normandie Avenue, Torrance, CA 90502						A. State Manifest Document Number 7365						
	1	4. Generator's Phone (310) 533-7926 or (310) 533-7231						B. State Generator's ID H[A]H[Q]3 6 0 0 5 6 9 8						
			Company Name	-/ 320 UI (	<u>5107</u> 5		EPA ID Number		C. Sta	ate Transpo	rter's 10			
			Pumping Ser	vice , INC	-, IC			17171	D. Transporter's Phone (818) 961-9326					
	/ '	ransporter 2 C	Company Name		8. 1	)   	SEPAID Number	1 1 1	1,124,840,040,650	ite Transpo naporter's l	alternative			
ł			cility Name and Site		10.	Ü	EPA ID Number		G. Sta	ue Facility	Ю,		3 2 2 1	
			ch Systems, 26th Stree						H Fa		00	100	31681 1	
			CA 90023		ıc	1A 1T 10	1810101313	161811	100000			56	V	
\	11.	US DOT Desc	ription (Including Pro	oper Shipping Name				12. Cont	ainers	13. Tot		14. Unit	L Waste No.	
V	<u> </u>				1			No.	Туре			Wt/Vol	State	
		waste, ( Corrosiv	Corrosive L ve Material	. UN1760	.s. (r	iyaroı	luoric aci						513,791 EPA/Other	
V								007	UIF	000	91	G	D002	
			Corrosive L ve Material		).S. (E	lydrof	luoric aci	1					\$512,791	
			re material	, UNII/UU				007	DiF	000	05	G	<b>50002</b>	
			te, Oxidize		N.O.S	s. (Am	monium Nit	rate)	2 4				<b>*13</b> 5	
	'	Uxidizer	r, UN1479 (	DOO1)				006	D <sub>1</sub> F	002	80	G	D001"	
7	4	Non-RCRA	A Hazardous	Waste Lig	uid								State 491	
		(Window	polishing	abrasiye.)				OPR	א.ת	00.1	00	G	EPA/Other N/R	
	ı	15. Special Handling Instructions and Additional Information In case of accident contact Chemtrec at 800-424-9300. Volumes are approximate.  DOT Emergency Response Guide #-s a)60 b)60 c)35 d)N/A  EH Permit # 4-9105240												
									:					
		GENERATOR' and are classi national gover If I am a large to be economi present and fu	S CERTIFICATION: ified, packed, marker ment regulations. quantity generator, ically practicable and uture threat to human	d, and labeled, and I certify that I have d that I have select n health and the en	a program ted the practivironment;	espects in in place to cticable me OR, if I am	proper condition to reduce the volume thod of treatment, a small quantity go	and toxicity storage, or concerning	y highw of wast disposal	ay accordin te generate currently av	g to app d to the vailable	degree to me wi	international and I have determined hich minimizes the	
		GENERATOR' and are classi national gover If I am a large to be economi present and fu	ified, packed, marker rnment regulations. quantity generator, ically practicable and uture threat to human d select the best wa	d, and labeled, and I certify that I have d that I have select n health and the en	a program ted the practivironment;	espects in in place to ticable me OR, if I am is available	proper condition to reduce the volume thod of treatment, a small quantity go	and toxicity storage, or concerning	y highw of wast disposal	ay accordin te generate currently av	g to app d to the vailable	degree to me wi	international and I have determined hich minimizes the imize my waste	
	Printe	GENERATOR' and are classi national gover if I am a large to be economi present and fu generation and	ified, packed, marker rnment regulations. quantity generator, ically practicable and uture threat to human d select the best wa	d, and labeled, and I certify that I have d that I have select n health and the en	a program ted the practivironment;	espects in in place to ticable me OR, if I am is available	proper condition to reduce the volume thod of treatment, a small quantity go to me and that I c	and toxicity storage, or concerning	y highw of wast disposal	ay accordin te generate currently av	g to app d to the vailable	degree to me wi	international and I have determined hich minimizes the imize my waste	
1	Printe <i>R</i> (17. 1	GENERATOR' and are classinational gover if I am a large to be economic present and fu generation and ad/Typed Nam charter fransporter 1	ified, packed, marker ment regulations. quantity generator, ically practicable and uture threat to human d select the best wa	d, and labeled, and a certify that I have do that I have select in health and the enste management m	a program ted the practivironment; tethod that i	espects in in place to ticable me OR, if I am is available	proper condition to reduce the volume thod of treatment, a small quantity go to me and that I c	and toxicity storage, or concerning	y highw of wast disposal	ay accordin te generate currently av	g to app d to the vailable	degree to me wi	I have determined hich minimizes the mize my waste  Month Day 1	
	Printe 17. 1 Printe	GENERATOR' and are classinational gover if I am a large to be economic present and fu generation and ed/Typed Nam fransporter 1 ed/Typed Nam	ified, packed, marker ment regulations.  quantity generator, ically practicable and uture threat to humand select the best water.  Acknowledgement of the ment of	d, and labeled, and i certify that I have d that I have select in health and the enste management m	a program ted the prac vironment; telthod that i	espects in in place to ticable me OR, if I am is available Sign	proper condition to reduce the volume thod of treatment, a small quantity go to me and that I c	and toxicity storage, or concerning	y highw of wast disposal	ay accordin te generate currently av	g to app d to the vailable	degree to me wi	international and I have determined hich minimizes the mize my waste  Month Day 1	
1	Printe 17. 1 Printe	GENERATOR' and are classi national gover If I am a large to be economi present and fu generation and ed/Typed Nam ed/Typed Nam ed/Typed Nam ed/Typed Nam ed/Typed Nam	ified, packed, marker ment regulations. quantity generator, ically practicable and uture threat to human d select the best wa	d, and labeled, and I certify that I have dithat I have select in health and the ensite management m  APPLITED THE RECEIPT OF Material AYALA	a program ted the pracivironment; dethod that i	espects in in place to ticable me OR, if I am is available Sign	proper condition to reduce the volume thod of treatment, a small quantity go to me and that I c	and toxicity storage, or concerning	y highw of wast disposal	ay accordin te generate currently av	g to app d to the vailable	degree to me wi	international and I have determined hich minimizes the mize my waste  Month Day 1	
	Printe 17. 1 Printe 18. 1	GENERATOR' and are classi national gover If I am a large to be economi present and fu generation and ed/Typed Nam ed/Typed Nam ed/Typed Nam ed/Typed Nam ed/Typed Nam	ified, packed, marker ment regulations.  quantity generator, ically practicable and uture threat to humand select the best wanter to the best want	d, and labeled, and I certify that I have dithat I have select in health and the ensite management m  APPLITED THE RECEIPT OF Material AYALA	a program ted the pracivironment; dethod that i	espects in in place to citicable me OR, if I am is available Sign	proper condition to reduce the volume thod of treatment, a small quantity go to me and that I c	and toxicity storage, or concerning	y highw of wast disposal	ay accordin te generate currently av	g to app d to the vailable	degree to me wi	I have determined hich minimizes the mize my waste  Month Day 1 104229  Month Day 1	
	Printe 17. 1 Printe 18. 7	GENERATOR' and are classi national gover if I am a large to be economi present and fu generation and ed/Typed Nam	ified, packed, marker ment regulations.  quantity generator, ically practicable and uture threat to humand select the best wanter to the best want	d, and labeled, and I certify that I have dithat I have select in health and the ensite management m  APPLITED THE RECEIPT OF Material AYALA	a program ted the pracivironment; dethod that i	espects in in place to citicable me OR, if I am is available Sign	proper condition to reduce the volume thod of treatment, a small quantity go to me and that I co attre	and toxicity storage, or concerning	y highw of wast disposal	ay accordin te generate currently av	g to app d to the vailable	degree to me wi	I have determined hich minimizes the mize my waste  Month Day 1 10422	
	Printe 17. 1 Printe 18. 7	GENERATOR' and are classi national gover if I am a large to be economi present and fu generation and ed/Typed Nam	ified, packed, marker ment regulations.  quantity generator, ically practicable and turner threat to human diselect the best was need to be the best w	d, and labeled, and I certify that I have dithat I have select in health and the ensite management m  APPLITED THE RECEIPT OF Material AYALA	a program ted the pracivironment; dethod that i	espects in in place to citicable me OR, if I am is available Sign	proper condition to reduce the volume thod of treatment, a small quantity go to me and that I co attre	and toxicity storage, or concerning	y highw of wast disposal	ay accordin te generate currently av	g to app d to the vailable	degree to me wi	I have determined hich minimizes the mize my waste  Month Day 1 104229  Month Day 1	
	Printe 17. 1 Printe 18. 1 Printe	GENERATOR' and are classi national gover If I am a large to be economi present and fu generation and ed/Typed Nam PACT ransporter 1 / ed/Typed Nam ENCE ransporter 2 / ed/Typed Nam Discrepancy inc	ified, packed, marker ment regulations.  quantity generator, ically practicable and ture threat to human diselect the best water the best water threat to human diselect the best water threat	d, and labeled, and certify that I have that I have select the health and the enste management multiple of Material Receipt of Material Receipt of Material	a program ted the practivironment; telethod that i	espects in in place to cticable me OR, if I am is available    Sign   Sign   Sign	proper condition for reduce the volume thod of treatment, a small quantity go to me and that I construct the state of the	or transport to and toxicity storage, or onerator, I he an afford.	y highw r of wast disposal ave mad	ay according the generate Currently as a good fa	g to app	degree to me wi	I have determined hich minimizes the mize my waste  Month Day 1 104229  Month Day 1	

W	FORM HAZARDOUS ASTE MANIFEST Ontinuation Sheet)	21. Generator's US EPA I CAD086510005	D No.	Manifest Doo				5870 DESCRIPTION TO	the shaded quired by Federal
23. Gei	nerator's Name Ouglas Aircraft Co	ompany				90 M. Sta	te Manifest Doc 387365 ite Generator's 1403600569	D	Number
	nsporter 1 Company Nam		_	JS EPA ID Num	ber	N. Sta	te Transporter's	(0)-27	28248
26. Tra	ced Pumping Servicensporter Company Name	ne'		2953771 JS EPA ID Num	ber	P. Sta	te Transporter's	ID	18) 961-932( **
<del>-                                    </del>					29. Cont	11500 TO 200 PROS	naporter's Phor		
28. US	DOT Description (Including I	Proper Shipping Name, Haz	ard Class, ar	nd ID Number)	No.	Туре	30. Total Quantity	31. Unit Wt/Vol	Waste No.
a.	Non-RCRA Hazard (Aluminum clean	lous Waste Liquid er)			4	DF	200	G	135 - N/R
b.	RQ, Hazardous W ORM-E, NA9189 (	laste Liquid, N.C D007)	).S. (Ch	romium)	8	DM	400	G	723 D007
	<u>'</u>								e e
									a company
									1. No. 1.
a)ID	tional Descriptions for Materi # 101021. Alumin # 90414-02. Pain	um Cleaner.				T. Han	dling Codes for の(	Waste	I s Listed Above
Vo Tui	cial Handling Instructions an mes are approxima	d Additional Information te. DOT Emergenc	y Respo	nse Guide	#'s a)	N/A	b)31		
	nsporter <u>L</u> Acknowledge	ement of Receipt of Materia	als			(1일) (12 전)			Date
WE	nted/Typed Name NCES LAO A		Signa		istao <sub>b</sub>	Ayl	do-3.		Month Day Yea 04 22 92
	nsporter Acknowledg ted/Typed Name FLEH KHO	ement of Receipt of Materi	als Signa	AND DESIGNATION OF THE PARTY OF	Perz	1 am	<b>(</b>		Date  Month Day Yea  O4 22 92
35. Disc	crepancy Indication Space			•					